

EQUIPMENT PEDESTAL SECTION NO SCALE **9**



CONCRETE CONTROL JOINT NO SCALE **5**



FOOTING AT SIDE AND REAR WALLS NO SCALE **1**



HOLDDOWN	ANCHOR ROD
HDU5-SD2.5	5/8"Ø SIMPSON PAB7 W/ 8.5" MIN EMBEDMENT AND 12" MIN EDGE DISTANCE.
HD12	1"Ø SIMPSON PAB8 CAST-IN-PLACE W/ 10" MIN. EMBED INTO FOOTING. AND 15" MIN EDGE DISTANCE.

NOTE:
SEE DETAIL 1/S4.0
FOR ADDITIONAL INFORMATION

HOLDOWN DETAIL NO SCALE **6**



FOOTING AT SHEARWALL 2 NO SCALE **2**



FOOTING AT FRONT WALL NO SCALE **7**



FOOTING AT FULL HEIGHT OPENING NO SCALE **3**



FOOTING AT SHEARWALL 3 NO SCALE **8**



FOOTING AT DRIVE THRU NO SCALE **4**

PROJECT #22228

national restaurant designers
NRD ARCHITECTS & ENGINEERS
7208 Acc Blvd. 2nd Floor Raleigh NC 27617
phone: 919.544.0087 fax: 919.544.9399
A Division of LMHT Associates

BRITT, PETERS AND ASSOCIATES INC. consulting engineers
999 Waterside Drive
Suite 2202
Norfolk, VA 23510
(757) 956-5710
www.brittpeters.com
BPA Project No. 220666
NC COA# C-1088

NORTH CAROLINA PROFESSIONAL SEAL 030467 06/10/2022 ENGINEER DENNIS R. ALTMAN

	DATE	REMARKS

CONTRACT DATE: 06/03/2022
BUILDING TYPE: END. MED 40
PLAN VERSION: SEPT. 2021
BRAND DESIGNER:
SITE NUMBER: 315669
ENTITY NUMBER: 458169
PA/PM: SH
DRAWN BY.: ES
JOB NO.: 220666

ENDEAVOR 2.0
5116 NC 87 South
Fayetteville, NC 28306

TACO BELL

ENDEAVOR 2.0
FOUNDATION DETAILS

S4.0

PLOT DATE: 6/10/2022 12:46:14 PM

Autodesk Docs://BPA Collaborate R22/220666_STRU_Taco Bell_Stoney Point_r22.rvt

CAUTION: IF THIS SHEET IS NOT 22"x34" IT IS A REDUCED PRINT